OPEN LETTER

Kenya's response to the COVID-19 pandemic: a balance between minimising morbidity and adverse economic impact

[version 1; peer review: 1 approved, 3 approved with reservations]

Edwin N. Wangari , Peter Gichuki , Angelyne A. Abuor ,
Jacqueline Wambui , Stephen O. Okeyo, Henry T.N. Oyatsi, Shadrack Odikara ,
Benard W. Kulohoma

Centre for Biotechnology and Bioinformatics, University of Nairobi, Nairobi, Kenya

v1 First published: 14 Jan 2021, 4:3
<https://doi.org/10.12688/aasopenres.13156.1>
 Latest published: 29 Mar 2021, 4:3
<https://doi.org/10.12688/aasopenres.13156.2>

Abstract

Coronavirus disease 2019 (COVID-19) has ravaged the world's socioeconomic systems forcing many governments across the globe to implement unprecedented stringent mitigation measures to restrain its rapid spread and adverse effects. A disproportionate number of COVID-19 related morbidities and mortalities were predicted to occur in Africa. However, Africa still has a lower than predicted number of cases, 4% of the global pandemic burden. In this open letter, we highlight some of the early stringent countermeasures implemented in Kenya, a sub-Saharan African country, to avert the severe effects of the COVID-19 pandemic. These mitigation measures strike a balance between minimising COVID-19 associated morbidity and fatalities and its adverse economic impact, and taken together have significantly dampened the pandemic's impact on Kenya's populace.

Keywords

Kenya, COVID-19, pandemic response, transmission, disease control measures

This article is included in the [Coronavirus \(COVID-19\)](#) collection.

Open Peer Review

Approval Status

	1	2	3	4
version 2				
(revision)				
29 Mar 2021				
version 1				
14 Jan 2021				
	view	view	view	view

1. **Gisele Umvilighozo** , Simon Fraser University, Burnaby, Canada
Francis Mwimanz, Simon Fraser University, Burnaby, Canada
2. **Peninah Muthoni Wairagu** , Technical University of Kenya, Nairobi, Kenya
3. **Peter Macharia** , KEMRI Wellcome Trust Research Programme, Nairobi, Kenya
4. **Brian Godman** , Sefako Makgatho Health Sciences University, Pretoria, South Africa
 Strathclyde Institute of Pharmacy and Biomedical Sciences, Glasgow, UK

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Benard W. Kulohoma (bkulohoma@uonbi.ac.ke)

Author roles: **Wangari EN:** Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Gichuki P:** Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Abuor AA:** Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Wambui J:** Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; **Okeyo SO:** Conceptualization, Writing – Original Draft Preparation; **Oyatsi HTN:** Conceptualization, Writing – Original Draft Preparation; **Odikara S:** Conceptualization, Writing – Original Draft Preparation; **Kulohoma BW:** Conceptualization, Supervision, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This work is supported by the African Academy of Sciences (AAS) through the AAS Affiliates Fellows programme. BWK is an AAS affiliate fellow.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2021 Wangari EN *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Wangari EN, Gichuki P, Abuor AA *et al.* **Kenya's response to the COVID-19 pandemic: a balance between minimising morbidity and adverse economic impact [version 1; peer review: 1 approved, 3 approved with reservations]** AAS Open Research 2021, 4:3 <https://doi.org/10.12688/aasopenres.13156.1>

First published: 14 Jan 2021, 4:3 <https://doi.org/10.12688/aasopenres.13156.1>

Disclaimer

The views expressed in this article are those of the authors. Publication in AAS Open Research does not imply endorsement by the AAS.

The world is experiencing a significant public health threat due to the global coronavirus disease 2019 (COVID-19) pandemic. The COVID-19 pandemic overshadows recent outbreaks of severe acute respiratory syndromes (SARS) and Middle East respiratory syndrome (MERS) in 2003 and 2012 respectively, which are also caused by viruses that are closely related genetically¹. The COVID-19 pandemic has forced all affected countries to adopt drastic response measures, which included imposing total lockdown of cities and even countries, due to its rapid person-to-person transmission rates^{2,3}. This pandemic is now established in all 54 African countries and coincides with other humanitarian emergencies⁴. Although Africa still bears a small proportion (4%) of the global pandemic morbidity burden, the WHO forewarns that if left unchecked, COVID-19 could result in nearly a quarter of a billion morbidities, and 150,000 fatalities within a year⁵. Scientists still remain puzzled by why the pandemic seems to have “spared” Africa, which has fragile healthcare systems⁶⁻⁸. Several hypotheses have been advanced to explain this occurrence, that include: warmer climate that does not favour the viral pathogen viability, fewer COVID-19 associated deaths because of a comparatively younger population, lower case numbers due to inadequate testing, population-wide immune priming due to previous exposure to other infectious diseases, and genetic factors that protect Africans from severe disease^{6,7,9}. The relative contribution of these factors still remains unknown. We opine that it is Africa’s previous experience with life-threatening infectious disease outbreaks, for example Ebola, HIV, and malaria that led to an overreaction by African states to implement a raft of stringent countermeasures to protect their healthcare systems from being overwhelmed. Governments in African countries moved with commendable speed to implement countermeasures at early stages of COVID-19 detection within their borders to restrain widespread disease and its adverse effects¹⁰. However, these control measures are thought to be unsustainable and projected to have negative and inequitable impacts in resource poor settings¹¹. In this open letter, we highlight some of the countermeasures against COVID-19 transmission in Kenya, which intend to strike a balance between minimising COVID-19 associated morbidity and fatalities and its adverse economic impact.

Physical distancing minimises person-to-person COVID-19 transmission in a population. This protects individuals at greatest risk of presenting poor infection outcomes from both symptomatic and asymptomatic infected individuals, thereby restricting an increase in the basic reproduction number (R_0)^{11,12}. In Kenya, the government imposed a nationwide dawn to dusk curfew; and restricted movement into and out of urban cities with COVID-19 incidences to rural areas with lower incidence rates. The majority of the older demographic reside in rural areas; and this effort restricted mass migrations to rural areas as a result of economic distress in urban settings, leading to

consequent infection of the elderly, and more vulnerable minorities. Learning institutions and day-care centres were closed. Workplaces that do not provide essential services were advised to allow individuals to work from home; and effect physical distancing measures in the event that workers were absolutely required to access their workstations. All mass gatherings, faith-based events, festivals, conferences and meetings, trade fairs, sporting and cultural events were prohibited to minimise person-to-person contact. The rationale was that it was challenging to maintain physical distance for large crowds, for example at the exit and entrance spaces or even in public transportation. However, the success of these countermeasures requires implementation over an extended period. Social contact with colleagues, family, and friends via digital media, for example over the phone or Internet, encouraged adherence to physical distancing. The government launched a network of giant internet-enabled balloons in-conjunction with Google to deliver emergency Internet across the country¹³. This Internet connection was also used for e-learning, working from home, and fostered e-commerce.

Good personal hygiene and sanitization measures are critical for COVID-19 control. Kenya launched nation-wide media campaigns to educate the citizens on the proper handwashing techniques and use of face masks immediately after the first COVID-19 case was detected in March 2020. These campaigns recommend use of soap and running water, 70% alcohol-based sanitizer or 0.1% sodium hypochlorite to wash hands and clean surfaces. Local artisans in the informal business sector were given financial support to assemble handwashing stations and sanitization equipment using available raw materials and re-cycled parts that could be rapidly distributed for use across the country. Fumigation of infection hotspots, for example markets, public transport, and hospitals, was performed routinely. Handwashing was also mandatory prior to entry of any public premises and before boarding public transportation. The ministry of health and healthcare stakeholders developed new protocols and policies on handling of deceased remains and conducting funerals. For example, funerals were restricted to a maximum of 15 attendees practicing physical distancing¹⁴.

Comprehensive surveillance and detection systems enable data collation and analyses to establish COVID-19 transmission dynamics and societal impact. These systems should enable control at three levels¹⁵: (i) First, enable rapid detection, isolation, testing and management of suspected cases. (ii) Secondly, guide the implementation of control measures and be able to contain outbreaks among vulnerable populations, monitor long-term epidemiologic trends and evolution of SARS-CoV-2 virus, and evaluate the impact of the pandemic on the healthcare system. (iii) Finally, incorporate capacity sufficient for understanding the co-circulation of SARS-Cov-2 virus and other respiratory viruses. These systems provide robust evidence used for developing implementation policies required for disease management¹⁶. In Kenya the integrated disease surveillance and response (IDSR) system guides the rapid detection, reporting, management and treatment of the reported infection cases¹⁷. Seroprevalence and genomic studies provide estimates

for the level of COVID-19 infection cases across Kenya, and determine genomic diversity of strains in circulation^{18–20}. In addition, sentinel surveillance of influenza-like illness and other acute respiratory infections using the global influenza surveillance and response system (GISRS) has allowed robust monitoring of community transmission of COVID-19, and provides insight on co-circulation of respiratory viruses²¹. Consequently, this has informed more robust and customised public health responses. As part of the East African community response unit (EARCC), Kenya and other partner states continue improve the region's response capacity on disease prevention, safety and surveillance at border points²².

The Ministry of Health communicates daily via all media outlets the number of confirmed cases, fatalities, recoveries, overall COVID-19 related bed occupancy in various hospitals, and the prevalence in all 47 counties. They also remind all citizens to continue taking precautions not to contract COVID-19; and provide contact details on how and where to seek assistance if you present symptoms. In addition the government has established the COVID-19 risk communication and community engagement sub-committee, in conjunction with media agencies, healthcare stakeholders and the International Organization for Migration (IOM) to enhance strategic communication and community engagement, promote trust and influence risk perception^{23–26}. Community health workers were also deployed to provide mental health and social support, for example managing loss or grief²⁷.

Mitigation measures that minimise COVID-19 associated morbidity and fatalities have resulted in economic losses and a

decline in global economic activity. For example, the tourism and hospitality industry a major foreign exchange earner for Kenya suffered huge losses due to global restriction of movement. The government unveiled an 8-point economic stimulus program incorporated in the national budget to stimulate economic activity and safeguard livelihoods²⁸. For example, a cash transfer programme targeting the elderly, poor and vulnerable was implemented to safeguard the dignity and welfare of the most severely affected. Duty remission on raw materials used for domestic manufacturing was implemented. A post COVID-19 economic recovery strategy was formulated to dampen the adverse economic effects and reposition the economy on a steady and sustainable growth trajectory²⁹.

We posit that more effort should be directed towards achieving a delicate balance between minimising COVID-19 associated morbidity and preventing an economic recession, which is paramount to avoid reversing the gains made on the Sustainable Development Goals. We conclude that overall, these response measures together with others have significantly dampened the pandemic's impact on Kenya's populace.

Data availability

Underlying data

No data are associated with this article.

Acknowledgements

We acknowledge Rosaline Macharia and George Obiero, from the Centre of Biotechnology and Bioinformatics, University of Nairobi, for their useful discussions on the manuscript.

References

- Vijay R, Perlman S: **Middle East respiratory syndrome and severe acute respiratory syndrome**. *Curr Opin Virol*. 2016; **16**: 70–6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Qian X, Ren R, Wang Y, et al.: **Fighting against the common enemy of COVID-19: a practice of building a community with a shared future for mankind**. *Infect Dis Poverty*. 2020; **9**(1): 34.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Badu K, Thorn JPR, Goonoo N, et al.: **Africa's response to the COVID-19 pandemic: A review of the nature of the virus, impacts and implications for preparedness [version 1; peer review: 2 approved with reservations]**. *AAS Open Res*. 2020; **3**: 19.
[Publisher Full Text](#)
- WHO: **Weekly bulletin outbreaks and other emergencies. Week 21: 18 - 24 May 2020**. 2020; (accessed 26 May 2020).
[Reference Source](#)
- Cabore JW, Karamagi HC, Kipruto H, et al.: **The potential effects of widespread community transmission of SARS-CoV-2 infection in the World Health Organization African Region: a predictive model**. *BMJ Glob Health*. 2020; **5**(5): e002647.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mbow M, Lell B, Jochims SP, et al.: **COVID-19 in Africa: Dampening the storm?** *Science*. 2020; **369**(6504): 624–6.
[PubMed Abstract](#) | [Publisher Full Text](#)
- Nordling L: **The pandemic appears to have spared Africa so far. Scientists are struggling to explain why**. *Science (New York, NY)*. 2020; (Accessed 1st November 2020).
[Publisher Full Text](#)
- Wesonga CA, Kulohoma B: **Prioritising Health Systems to Achieve SDGs in Africa: A Review of Scientific Evidence**. In: Ramutsindela M., Mickler D. (eds) *Africa and the Sustainable Development Goals*. Sustainable Development Goals Series Springer, Cham. 2020; 113–21.
[Publisher Full Text](#)
- Kulohoma BW: **Importance of human demographic history knowledge in genetic studies involving multi-ethnic cohorts [version 3; peer review: 2 approved]**. *Wellcome Open Res*. 2018; **3**: 82.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Mugabe JO, Kulohoma BW, Matoke-Muhia D, et al.: **Securing Africa's health sovereignty: Why investing in science and innovation matters**. *AAS Open Res*. 2020; **3**: 52.
[Publisher Full Text](#)
- Quaife M, van Zandvoort K, Gimma A, et al.: **The impact of COVID-19 control measures on social contacts and transmission in Kenyan informal settlements**. *BMC Med*. 2020; **18**(1): 316.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Leung K, Jit M, Lau EHY, et al.: **Social contact patterns relevant to the spread of respiratory infectious diseases in Hong Kong**. *Sci Rep*. 2017; **7**(1): 7974.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- World Bank: **Balloons to Deliver Emergency Internet Across Kenya**. 2020; (Accessed 28th October 2020).
[Reference Source](#)

14. Yaacoub S, Schunemann HJ, Khabisa J, *et al.*: **Safe management of bodies of deceased persons with suspected or confirmed COVID-19: a rapid systematic review.** *BMJ Glob Health.* 2020; 5(5): e002650.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
15. WHO: **Public health surveillance for COVID-19: interim guidance.** 2020; Accessed 29th October 2020.
[Reference Source](#)
16. Yue M, Clapham HE, Cook AR: **Estimating the Size of a COVID-19 Epidemic from Surveillance Systems.** *Epidemiology.* 2020; 31(4): 567–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
17. Toda M, Zurovac D, Njeru I, *et al.*: **Health worker knowledge of Integrated Disease Surveillance and Response standard case definitions: a cross-sectional survey at rural health facilities in Kenya.** *BMC Public Health.* 2018; 18(1): 146.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
18. Uyoga S, Adetifa IM, Karanja HK, *et al.*: **Seroprevalence of anti-SARS-CoV-2 IgG antibodies in Kenyan blood donors.** *MedRxiv.* 2020; 2020.07.27.20162693.
[Publisher Full Text](#)
19. Githinji G, de Laurent ZR, Said Mohammed K, *et al.*: **Tracking the introduction and spread of SARS-CoV-2 in coastal Kenya.** *MedRxiv.* 2020; 2020.10.05.20206730.
[Publisher Full Text](#)
20. Idubor OI, Kobayashi M, Ndegwa L, *et al.*: **Improving Detection and Response to Respiratory Events - Kenya, April 2016-April 2020.** *MMWR Morb Mortal Wkly Rep.* 2020; 69(18): 540–4.
[PubMed Abstract](#) | [Publisher Full Text](#)
21. WHO: **WHO strategy to pilot global respiratory syncytial virus surveillance based on the Global Influenza Surveillance and Response System (GISRS).** 2017; Accessed 29th October 2020.
[Reference Source](#)
22. EAC: **EAC unveils COVID-19 Response Plan.** 2020; Accessed 29th October 2020.
[Reference Source](#)
23. IOM: **IOM Kenya Supports Government COVID-19 Response.** 2020; Accessed 14th September 2020.
[Reference Source](#)
24. Dryhurst S, Schneider CR, Kerr J, *et al.*: **Risk perceptions of COVID-19 around the world.** *J Risk Res.* 2020; 1–13.
[Publisher Full Text](#)
25. WHO: **Risk communication and community engagement readiness and initial response for novel coronaviruses (nCoV): interim guidance, January 2020.** 2020; (Accessed 29th October 2020).
[Reference Source](#)
26. Zarocostas J: **How to fight an infodemic.** *Lancet.* 2020; 395(10225): 676.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
27. AMREF: **Community Health Workers Champion Kenya's COVID-19 Response.** 2020; Accessed 29th October 2020.
[Reference Source](#)
28. PCSU: **THE 8-POINT ECONOMIC STIMULUS PROGRAMME.** 2020; Accessed 29th October 2020.
[Reference Source](#)
29. World Bank: **Kenya Public Expenditure Review 2020 : Options for Fiscal Consolidation after the COVID-19 Crisis.** 2020; Accessed 29th October 2020.
[Reference Source](#)

Open Peer Review

Current Peer Review Status: ? ✓ ? ?

Version 1

Reviewer Report 01 March 2021

<https://doi.org/10.21956/aasopenres.14259.r28383>

© 2021 Godman B. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Brian Godman

¹ School of Pharmacy, Sefako Makgatho Health Sciences University, Pretoria, South Africa

² Strathclyde Institute of Pharmacy and Biomedical Sciences, Glasgow, UK

Thank you - I enjoyed reading this Open letter. However, I have a number of concerns. Firstly, there is a lack of documentation of activities in Kenya and also how these relate to other African countries to provide future direction. A paper I was involved with, Ogunleye *et al.*, with co-authors from Kenya, extensively documented both healthcare and financial activities to help prevent the spread of the virus across Africa and the implications going forward. It would be good to add to this for Kenya, building on the comments made - especially with Africa learning from other infectious diseases in Ogunleye *et al.* (2020)¹.

There have also been concerns with the misinformation regarding COVID-19 and treatments - especially important in countries with high co-payment levels such as Kenya - as discussed in a paper of mine, Sefah I *et al.* (2020)². Encouragingly, in Kenya there is limited/no self-purchasing of antimicrobials unlike a number of other African countries. We are also seeing African countries innovate, etc., to help with the pandemic - providing opportunities for the future demonstrated in another paper I was involved in, Afriyie DK *et al.* (2020)³. It would be good to build on this for Kenya, along with potential plans about greater local production of medicines, to reduce issues of shortages in the future and help with the economy going forward.

References

1. Ogunleye OO, Basu D, Mueller D, Sneddon J, et al.: Response to the Novel Corona Virus (COVID-19) Pandemic Across Africa: Successes, Challenges, and Implications for the Future. *Front Pharmacol.* 2020; **11**: 1205 [PubMed Abstract](#) | [Publisher Full Text](#)
2. Sefah IA, Ogunleye OO, Essah DO, Opanga SA, et al.: Rapid Assessment of the Potential Paucity and Price Increases for Suggested Medicines and Protection Equipment for COVID-19 Across Developing Countries With a Particular Focus on Africa and the Implications. *Front Pharmacol.* 2020; **11**: 588106 [PubMed Abstract](#) | [Publisher Full Text](#)
3. Afriyie DK, Asare GA, Amponsah SK, Godman B: COVID-19 pandemic in resource-poor countries: challenges, experiences and opportunities in Ghana. *J Infect Dev Ctries.* 2020; **14** (8): 838-843

[PubMed Abstract](#) | [Publisher Full Text](#)

Is the rationale for the Open Letter provided in sufficient detail?

No

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: My area of research includes both infectious and non-infectious diseases across Africa and wider.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 13 Mar 2021

Benard Kulohoma, University of Nairobi, Nairobi, Kenya

We would like to thank the reviewer for their constructive comments that have strengthened our manuscript. The aim of which was to highlight countermeasures taken in Kenya. A separate article describing countermeasures taken across Africa by the authors has already been described in the text (Reference 3).

Competing Interests: None

Reviewer Report 01 March 2021

<https://doi.org/10.21956/aasopenres.14259.r28411>

© 2021 Macharia P. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peter Macharia

Population Health Unit, KEMRI Wellcome Trust Research Programme, Nairobi, Kenya

The article summarises measures put in Kenya in response to COVID-19. I have a few suggestions on how the manuscript might be improved.

The authors should be more specific on measures that were put into place. For example, mentioning the major urban areas where movement in/out was restricted, specific areas within Nairobi where the movement was constrained, etc. In its current form, the article is more general and has not been fully localized to the Kenyan context.

The authors should appreciate that the measures put into place had a temporal and spatial aspect. A chart and/or a map(s) could improve the article by providing a visual of the measures put into place over time in Kenya and citing those that were in specific counties. Also, include the timeline that is being addressed in the article e.g. between March 2020 to February 2021

The article has not tackled the other side of the coin, the effects of COVID-19 on the economy and how the government of Kenya and other stakeholders responded to minimize the effects.

The article mentions the value seroprevalence, genomic and sentinel surveillance studies had on Kenya. These are just but a few themes. Consider adding other lines such as disease mapping, economic modelling, gender-related studies among others

The message captured by the title has not been substantiated in the article. The balance between minimizing morbidity and adverse economic impact has not been elucidated in the Kenyan context

Provide references to sources of the measures cited

Is the rationale for the Open Letter provided in sufficient detail?

Partly

Does the article adequately reference differing views and opinions?

No

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Partly

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Spatial epidemiology/ health geography

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 13 Mar 2021

Benard Kulohoma, University of Nairobi, Nairobi, Kenya

We would like to thank the reviewer for their constructive comments that have strengthened our manuscript. We have revised the manuscript to make it more clear that movement was also restricted within urban areas with high rates of COVID-19 transmission. The concise Open Letter article is intended to give a general perspective of the countermeasures taken across Kenya. It would be beyond the scope of the article to describe countermeasures taken in each County or administrative unit in Kenya. We did not perform temporal and spatial analyses and therefore do not present data or findings on the same. We have described the adverse effects of COVID-19 on the economy giving an example of the tourism sector, which is one of the major contributors to Kenya's GDP, and highlighted that the government has implemented a detailed 8-point economic stimulus program incorporated in the national budget to stimulate economic activity and safeguard livelihoods (Reference 28). In addition we now provide more examples. We have revised the manuscript to highlight societal impacts, for example the loss of jobs across all sectors affecting up to 1.7 million Kenyans, and provide additional references, with more details.

Competing Interests: None

Reviewer Report 24 February 2021

<https://doi.org/10.21956/aasopenres.14259.r28388>

© 2021 Wairagu P. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peninah Muthoni Wairagu

Technical University of Kenya, Nairobi, Kenya

The open letter highlights the mitigation measures employed by the Kenyan government to minimize the COVID-19-related morbidities and mortalities in Kenya and their impact on the economy.

Comments on the letter include;

1. The title of the letter suggests that the authors have analyzed the mitigation measures employed and their economic impact. However, the content of the letter is skewed towards the mitigation measures employed and does not adequately discuss the economic

impact of these measures. There is only a brief mention on the effect on tourism, which only forms a part of the Kenyan economy. The mitigation measures also had effects on other sectors of the economy, such as employment, export and import business, manufacturing among others. It is also important for the authors to highlight that not all of the impact was negative, as seen in the manufacture of personal protective equipment (PPEs), soaps and sanitizers as well as service industries such as internet services provision.

2. The use of PPEs was a major aspect of the mitigation measures employed by the government to fight COVID-19, yet it is not mentioned in the open letter. It is important for the authors to include a discussion on PPEs especially because their manufacture locally had positive impact on the economy.
3. Part of the reason why Africa was expected to bear the greater burden of COVID-19 was due to the poor health care systems including the lack of enough hospitals and healthcare workers. The government sought to mitigate this by hiring health workers and some counties built hospitals. A discussion on this can also be included to make the letter more comprehensive.
4. The authors need to give a brief description on reproduction number (R_0) since it is not common knowledge.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Partly

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Cancer

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 13 Mar 2021

Benard Kulohoma, University of Nairobi, Nairobi, Kenya

We would like to thank the reviewer for their constructive comments that have strengthened our manuscript. We have now provided examples of these measures in the 8-point economic stimulus program (Reference 28). We have revised the manuscript to highlight the manufacture, distribution and use of PPEs is restricting COVID-19. Capacity building to strengthen healthcare systems across Africa has already been highlighted at detail by the authors in a different article (Reference 3). We have also made revisions to the manuscript to give a brief description of reproduction number (R_0).

Competing Interests: None

Reviewer Report 24 February 2021

<https://doi.org/10.21956/aasopenres.14259.r28384>

© 2021 Umvilighozo G et al. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Gisele Umvilighozo

Faculty of Health Sciences, Simon Fraser University, Burnaby, BC, Canada

Francis Mwimanzi

Faculty of Health Sciences, Simon Fraser University, Burnaby, CA, Canada

I read with interest the article authored by Edwin N. Wangari and colleagues that presented Kenya's response to the COVID-19 pandemic: a balance between minimizing COVID-19 morbidity and the adverse economic impact.

The article dealt with an important topic that deserves to be accepted. I have minor suggestions for improvement.

This open letter clearly detailed the Kenya's COVID-19 response and its impact on reduction of COVID-19 morbidity and spread, however it lacks sufficient supporting information on the economic component. The authors noted that mitigation measures that minimize COVID-19 associated with morbidity and fatalities have resulted in losses and a decline in a global economic activity but only mentioned an impact on the tourism and hospitality industry in Kenya. The article would gain strength by providing more detailed information on the negative economic impact of the COVID-19 response on other national economic activities and international trade that mainly contribute to the general livelihoods of Kenyans, such as agriculture, livestock, fishing and transport industries as well as small businesses (local markets, bars, restaurants, fashion houses and beauty salons).

To further substantiate the argument, the authors could highlight critical points regarding the balance between the response to COVID-19 and its impact on the declining economy that is

lacking in the government's economic stimulus packages.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Partly

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Virology, Immunology

We confirm that we have read this submission and believe that we have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however we have significant reservations, as outlined above.

Author Response 13 Mar 2021

Benard Kulohoma, University of Nairobi, Nairobi, Kenya

We would like to thank the reviewer for their constructive comments that have strengthened our manuscript. It is beyond the scope of the concise. We have now provided examples of these measures in the 8-point economic stimulus program (Reference 28).

Competing Interests: None