RESEARCH ARTICLE

Funding and COVID-19 research priorities - are the research needs for Africa being met? [version 1; peer review: 3 approved]

Emilia Antonio ^{1,2}, Moses Aloba ³, Marta Tufet Bayona², Kevin Marsh^{1,3}, Alice Norton ^{1,4}

¹Centre for Tropical Medicine and Global Health, University of Oxford, Oxford, UK

²United Kingdom Collaborative on Development Research, London, NW1 2BE, UK

³African Academy of Sciences, Nairobi, Kenya

⁴GloPID-R Secretariat, Centre for Tropical Medicine and Global Health, University of Oxford, Oxford, UK

v1 First published: 24 Nov 2020, 3:56
<https://doi.org/10.12688/aasopenres.13162.1>

Latest published: 24 Nov 2020, 3:56
<https://doi.org/10.12688/aasopenres.13162.1>

Abstract

Background: Emerging data from Africa indicates remarkably low numbers of reported COVID-19 deaths despite high levels of disease transmission. However, evolution of these trends as the pandemic progresses remains unknown. More certain are the devastating long-term impacts of the pandemic on health and development evident globally. Research tailored to the unique needs of African countries is crucial. UKCDR and GloPID-R have launched a tracker of funded COVID-19 projects mapped to the WHO research priorities and research priorities of Africa and less-resourced countries and published a baseline analysis of a living systematic review (LSR) of these projects.

Methods: In-depth analyses of the baseline LSR for COVID-19 funded research projects in Africa (as of 15th July 2020) to determine the funding landscape and alignment of the projects to research priorities of relevance to Africa.

Results: The limited COVID-19 related research across Africa appears to be supported mainly by international funding, especially from Europe, although with notably limited funding from United States-based funders. At the time of this analysis no research projects funded by an African-based funder were identified in the tracker although there are several active funding calls geared at research in Africa and there may be funding data that has not been made publicly available. Many projects mapped to the WHO research priorities and five particular gaps in research funding were identified, namely: investigating the role of children in COVID-19 transmission; effective modes of community engagement; health systems research; communication of uncertainties surrounding mother-to-child transmission of COVID-19; and identifying ways to promote

Open Peer Review

Approval Status

	1	2	3
version 1
24 Nov 2020	view	view	view

1. **Nelson K. Sewankambo**, Harvard T.H. Chan School of Public Health, Boston, USA

2. **Jean Marie Vianney Habarugira** , European and Developing Countries Clinical Trials Partnership (EDCTP), The Hague, The Netherlands
 Universitat Autònoma de Barcelona (UAB), Barcelona, Spain

3. **Simon Kay**, Wellcome Trust, London, UK

Any reports and responses or comments on the article can be found at the end of the article.

international cooperation. Capacity strengthening was identified as a dominant theme in funded research project plans.

Conclusions: We found significantly lower funding investments in COVID-19 research in Africa compared to high-income countries, seven months into the pandemic, indicating a paucity of research targeting the research priorities of relevance to Africa.

Keywords

Africa, Research Priorities, COVID-19, Coronavirus, Research funding, Global Health Policy

This article is included in the [Coronavirus \(COVID-19\)](#) collection.

Corresponding author: Emilia Antonio (e.antonio@ukcdr.org.uk)

Author roles: **Antonio E:** Conceptualization, Data Curation, Formal Analysis, Investigation, Methodology, Visualization, Writing – Original Draft Preparation; **Alobo M:** Methodology, Validation, Writing – Review & Editing; **Tufet Bayona M:** Funding Acquisition, Methodology, Validation, Writing – Review & Editing; **Marsh K:** Conceptualization, Methodology, Supervision, Validation, Writing – Review & Editing; **Norton A:** Conceptualization, Data Curation, Funding Acquisition, Investigation, Methodology, Supervision, Validation, Visualization, Writing – Original Draft Preparation

Competing interests: No competing interests were disclosed.

Grant information: The COVID CIRCLE initiative is funded by Wellcome, United Kingdom Department of Health and Social Care (UK DHSC) and United Kingdom Research and Innovation (UKRI). COVID CIRCLE is also supported by core funding to UKCDR from United Kingdom Department for International Development (DFID), United Kingdom Department for Business, Energy & Industrial Strategy (UK BEIS), UKRI, UK DHSC, Wellcome and Department for Environment Food & Rural Affairs (DEFRA) and by in-kind contributions from the GloPID-R Secretariat funded by the European Union's Horizon 2020 Research and Innovation Programme under grant agreements 643434 and 874667. Kevin Marsh is a fellow of the African Academy of Sciences.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2020 Antonio E *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Antonio E, Alobo M, Tufet Bayona M *et al.* **Funding and COVID-19 research priorities - are the research needs for Africa being met?** [version 1; peer review: 3 approved] AAS Open Research 2020, 3:56 <https://doi.org/10.12688/aasopenres.13162.1>

First published: 24 Nov 2020, 3:56 <https://doi.org/10.12688/aasopenres.13162.1>

Introduction

Pandemic preparedness

The coronavirus disease 2019 (COVID-19) pandemic hit at a time when pandemic preparedness was at the fore of global health policy but under-resourced. The 2014–2016 West Africa Ebola outbreak had exposed glaring gaps in the international outbreak response mechanism and, in its wake, many evaluation panels were commissioned to consider lessons learnt for response to future outbreaks. Several global and regional initiatives were commissioned to support the activities of existing initiatives such as Global Outbreak Alert and Response Network (GOARN) and African Coalition for Epidemic Research, Response and Training (ALERRT). These include Regional Disease Surveillance Systems Enhancement (REDISSE) for strengthening disease surveillance in West Africa, Coalition for Epidemic Preparedness and Innovation (CEPI) and a World Bank-funded \$500 million bonds scheme to promote pandemic preparedness in developing countries^{1,2}. Importantly, the Africa Centres for Diseases Control, a Pan African initiative to promote collaboration and partnership among African nations and advance public health, was established. The WHO R&D Blueprint was also launched, highlighting priority pathogens of outbreak potential and developing a coordinated research response mechanism in preparation for disease outbreaks³.

Despite these laudable initiatives, joint external evaluation (JEE) scores, representing a voluntary evaluation of country-level preparedness benchmarks outlined in the International Health Regulations (IHR), were strikingly lower across Africa and for lower-income countries in general in 2019, indicating a lack of pandemic preparedness^{4,5}. These findings resonated with global preparedness levels outlined in the maiden report of the Global Preparedness Monitoring Board (GPMB), in September 2019 just two months prior to the onset of the COVID-19 pandemic. The report took cognisance of recommendations from the 2009 H1N1 pandemic and the 2014–2016 Ebola outbreak and concluded global pandemic preparedness was inadequate. Further, it set out the crucial steps to be taken by governments, donors and funders to ensure sustainable preparedness plans in response to the next pandemic⁶.

COVID-19 in Africa

As of 30th September 2020, there were 1,182,927 confirmed COVID-19 infections and 25,881 deaths in Africa, representing 3.5 % and 2.6 % of global infections and mortalities, respectively⁷. Despite emerging evidence of high levels of transmission of the virus, Africa is one of the least directly impacted continents when disease burden alone is considered and there is keen interest in the evolution of these trends as the pandemic progresses. Emerging evidence from Europe and the United States are indicative of severe long-term sequelae following even mild COVID-19 infections^{8–10}. These aftereffects, the magnitude of which is yet to be determined, could further burden health systems in Africa. In spite of the apparently low direct mortality, the cumulative effects of comprehensive control efforts are projected to have major long-term impacts which could potentially offset decades of health, economic and developmental gains in the sub-region.

Africa is made up of diverse countries with unique contextual characteristics likely to influence COVID-19 outcomes, prevention, control and management. The projected transgenerational impacts of suspended education, immunizations and maternal and child health programmes resulting from disruptions caused by the pandemic are grave. The observation of a higher proportion of deaths among younger people living with HIV in South Africa speaks to the influence of infectious diseases on COVID-19 outcomes¹¹. Importantly, tuberculosis, malaria and other infectious disease burdens which are disproportionately higher in Africa could potentially worsen the prognosis of COVID-19 infections.

Coupled with the aforementioned, the rising burden of non-communicable diseases has stretched existing health systems to capacity, and COVID-19 could rapidly overwhelm health systems, as has been witnessed across the globe in even the best resourced countries. Overcrowded informal settlements and refugee camps, inadequate water, sanitation and hygiene (WASH) and high illiteracy levels, which hinder understanding of diseases and fuel misinformation, may make compliance with public health interventions for COVID-19 control difficult in some settings. The interplay of these among many factors gives rise to multiple vulnerabilities which are likely to influence the impact of COVID-19 in Africa.

Research priorities

The global research response to COVID-19 has been governed by the WHO's Coordinated Global Roadmap: 2019 Novel Coronavirus in line with the WHO R&D Blueprint mechanism, which was rapidly mobilised at the onset of the outbreak¹². This Roadmap outlines nine mid- to long-term broad research priority actions and corresponding sub-priorities for controlling the pandemic. Following the declaration of a global pandemic, the African Academy of Sciences (AAS) engaged African researchers through a survey and consultative workshop to assess the applicability of these research priorities to Africa and found a general agreement of African researchers with the WHO research priorities. However, important context-relevant research priorities falling outside the WHO framework were also identified and outlined in the Research and Development goals for COVID-19 in Africa Report¹³.

In May 2020, a further collaborative effort between the United Kingdom Collaborative on Development Research (UKCDR), AAS and The Global Health Network (TGHN) led to a mixed methods study to determine the research and development (R&D) priorities for COVID-19 by building on both the WHO Roadmap and the prior AAS study, with a special focus on less-resourced countries. This study found several WHO research priorities which required greater research emphasis and, more importantly, outlined new research priority areas which were not captured in either the WHO framework or the AAS study¹⁴.

Study aim

In order to guide funding investments in research and promptly identify gaps and synergies to maximise the impact of research for this and future pandemics, UKCDR and

Global Research Collaboration for Infectious Diseases Preparedness (GloPID-R) have launched the COVID CIRCLE¹⁵. This learning and coordination initiative has, as part of its activities, initiated a live [COVID-19 Research Project Tracker](#), which identifies research by key global funders classified against the WHO research priorities¹⁶. A section of the Tracker is dedicated to monitoring the WHO International Clinical Trials Registry Platform (ICTRP) for COVID-19 clinical trials and an analysis of clinical trials involving official development assistance (ODA) recipient countries is publicly available in the Tracker. Further, a living systematic review (LSR) of funded research projects has been started and the baseline results and study protocol were published in Wellcome Open Research in September 2020¹⁷.

Building on this review, this article offers an in-depth analysis of the funded COVID-19 research projects in Africa, presenting the most comprehensive overview of funded research activities in Africa to date (to the best of our knowledge).

Methods

In-depth analyses of findings from the LSR previously mentioned was done to determine the state of funded research in Africa. Similar methodology to the LSR were employed where both descriptive and thematic analyses were done using Microsoft Excel 2019. Key variables extracted for the LSR and study protocol are available at Wellcome Open Research¹⁷. All projects listed in the [UKCDR/GloPID-R Tracker](#) (the Tracker), as of 15th July 2020 were eligible.

Mapping to research priorities

Research projects were mapped to the nine WHO broad research priority areas and corresponding sub-priorities and research priorities for Africa and less-resourced countries¹⁴. The detailed methodology for data coding onto the Tracker is outlined in the LSR protocol¹⁷.

Data entry was carried out cooperatively in a nine-person team and verification done by an independent reviewer to ensure consistency across extracted data. Projects were first assessed for a primary WHO research priority area(s) of focus. 'N/A' was assigned for projects which focused on innovation, research implementation/administration or clearly fell outside the WHO priorities. Next, projects were assigned to a WHO sub-priority area(s) of research focus. This process was repeated to assign broad secondary research priority and sub-priority area(s) of focus where indicated. Hence, all projects were assigned to multiple primary and/or secondary research priority areas of research focus where possible.

Geographical distribution, funders and funding amounts

Subsequently, research projects were stratified by continent and all projects involving at least one African country (as defined by the African Union) were included in the analysis. Descriptive analyses of funding amounts, funders and research locations were made. Further analyses for potential gaps in research funding and thematic analyses of projects involving capacity strengthening were done.

Comparative analysis

Research locations and funding investments were compared between two sections of the Tracker (funded research projects and WHO ICTRP Analysis of Trials in DAC List Countries), last updated 20th June 2020 and accessed on 20th August 2020 and [G-Finder COVID-19 R&D Tracker](#), last updated on 18th September 2020 and accessed on 29th September 2020.

An earlier version of this article can be found on medRxiv (doi: <https://doi.org/10.1101/2020.10.12.20211565>).

Results

Funding landscape of research in Africa

Eighty-four projects of the 1,858 included in the LSR involved at least one African country. Four projects with non-specific country details but listed as being conducted in 'multiple African countries' or in 'Africa' were included in the analysis. Thirty-six African countries were represented in the Tracker and more West-African countries than countries from the other sub-regions were involved in research as shown in [Figure 1](#). The majority of research projects involved Uganda (15 projects), followed by Burkina Faso and South Africa (11 projects each) and Kenya (10 projects).

The paucity of research involving African countries is consistent across the Tracker's sections and G-finder COVID-19 R&D Tracker with only minor differences. Whereas the funded research project tracker found a dominance of research projects in Uganda, the WHO ICTRP: Analysis of Trials in DAC List Countries, found 111 research projects with Egypt alone involved in 72 clinical trials, mostly primarily sponsored by local universities, as of 20th June 2020. Similarly, G-finder COVID-19 R&D Tracker lists few R&D projects under research in Africa¹⁸. Least developed countries (LDCs), which included 33 of the 54 countries, dominated. There are 18 countries with no documented research projects in the Tracker. Twelve funders identified in the Tracker fund COVID-19 research in Africa and of these, French Agency for Research on AIDS and Viral Hepatitis (ANRS), European & Developing Countries Clinical Trials Partnership (EDCTP) and UK Research and Innovation (UKRI) funded the most projects. Many projects are carried out across multiple countries as shown in [Figure 2](#). Interestingly, UKRI funds many research projects in Gambia and Uganda, the locations of the Medical Research Council units, demonstrating the benefits of long-term investments and research links. Some funders funded projects which studied COVID-19 in existing research cohorts in African countries. Six such projects were identified and this likely highlights the usefulness of existing research networks, which can be rapidly pivoted, in emergency response to outbreaks.

About \$22 million of \$726 million invested globally has been invested in research projects involving African countries but this value is underestimated given that only 32% of projects involving Africa included information on funding amounts. Importantly, funding amounts for EDCTP and ANRS, which are the top funders of projects involving African countries, were not available at the time of this analyses. Funding information for EDCTP projects are now available and subsequent updates

Figure 1. Location of COVID-19 Research Projects in Africa by Country and OECD-DAC Categories.

of this analysis will incorporate these and any further updates on research investments made to the Tracker.

Classification of projects against research priorities

WHO research priorities. Figure 3 shows most projects were classified under ‘epidemiological studies’, ‘social sciences in the outbreak response’ and ‘virus: natural history, transmission and diagnostics’. ‘Ethical considerations for research’ was the research focus of only one project. Both ‘candidate vaccine R&D’ and ‘candidate therapeutics R&D’ were the focus of few research projects in Africa; and for one project there was insufficient information to classify under a WHO priority area.

Given that many of the priorities that emerged from the AAS and UKCDR/AAS/TGHN study fell under ‘epidemiological studies’ and ‘social sciences in the outbreak response’, projects categorised under these were analysed for gaps in research funding. The analysis revealed only one research project each

focussed on disease transmission and susceptibility in children, international cooperation and feasible ways of public engagement, whilst none of the projects involved health systems research or communication of uncertainties concerning COVID-19 infections and pregnancy. These findings are shown in Figure 3.

Research priorities for Africa and low-resourced countries.

Few projects mapped to the ‘existing WHO research priorities requiring greater emphasis’ and priorities of Africa and less-resourced countries. Most projects that did involve understanding COVID-19 among vulnerable populations including refugees and migrants, employing technology in the pandemic response, focusing on persons living with HIV, sickle cell disease and tuberculosis and strengthening local capacity for viral genotyping as indicated in Figure 4 and Figure 5. Capacity strengthening was a predominant theme which emerged from reviewing research projects being carried out in Africa. Of

Figure 2. Number of Projects by Research Funder and Number of African countries across which Projects take place. Note: ** Co-funded projects which are counted separately from other instances where funder(s) appear. **ANRS** - French Agency for Research on AIDS and Viral Hepatitis; **BMBF** - Federal Ministry of Education and Research (Germany); **CIHR** - Canadian Institutes of Health Research; **DFID** - Department for International Development (UK); **EC** - European Commission; **EDCTP** - European & Developing Countries Clinical Trials Partnership; **NIH** - National Institutes of Health (USA); **NIHR** - National Institute for Health Research; **UKRI** - UK Research and Innovation.

the 17 projects identified, most involved laboratory capacity strengthening activities whilst the remainder involved capacity for clinical management and surveillance.

Discussion

Funding landscape of research in Africa

In the Tracker version analysed (15th July 2020), there were 1,858 COVID-19 research projects underway globally in 102 countries with only 84 (4.5%) of these projects involving at least one of 36 African countries. This finding is likely representative of the dearth of research projects in Africa given that similar findings were identified in the comparative analyses.

About 3% of total research funding (\$22 million of \$726 million spent globally) was invested in COVID-19 research in Africa, representing a minute fraction of total investments by funders. Funders from Europe fund the most projects in Africa. Conspicuously underrepresented are United States-based funders which together with European funders have historically been key players in R&D funding for disease outbreaks in Africa, the most notable being the 2014 – 2016 Ebola outbreaks¹⁹. No research projects funded by the NSF in Africa were captured in the Tracker and only two are funded by the NIH involving Tanzania and Madagascar. However, this trend may be shifting since Central, Eastern and Western Africa sites have been

Figure 3. Research projects in Africa classified against the WHO Research Priorities with detailed classification of projects falling under 'epidemiological studies' and 'social sciences in the outbreak response'. Bar charts show primary area of research focus only. From left to right - 1. Research projects in Africa classified against 9 WHO broad priorities; 2. Research projects classified under 'Epidemiological studies'; 3. Research projects Classified under 'social sciences in the outbreak response'. Note: Some projects assigned to multiple priority areas.

included in 11 NIH-funded grants, announced in August 2020, dedicated to the establishment of centres for research into emerging infectious diseases²⁰.

Also underrepresented in the funding landscape are Africa-based research funders and projects commissioned by individual country governments. Although this analysis did not capture any projects funded by Africa-based funders or governments, a review of G-finder COVID-19 R&D Tracker: Public, philanthropic & industry funding for COVID-19 R&D also found only a few state-funded projects in Namibia, South Africa, Nigeria and Ethiopia¹⁸. It may well be that data on these investments are yet to be captured in either tracker or have not been made available by country governments and this poses a significant challenge to tracking the COVID-19 research activities in Africa. Further, there are several pending research funding calls for Africa, including calls from the AAS, which might alter the findings of this analysis as the pandemic evolves.

The novelty of COVID-19 and the global scale of infections has presented unique challenges to research funders in balancing donor countries' needs, where the pandemic peaked early, with funding of projects in less-resourced countries. Funders' prioritization of the former may explain the trends in underfunding in Africa. Conversely, significant global funding investments have been made into diagnostics, vaccines and therapeutics to enhance disease detection and control of infections

which will potentially have long-term wider benefit. Given that this is a global pandemic, it is not necessarily surprising that preliminary work in these fields tends to be most easily carried out in the best resourced settings. Indeed, a similar finding was noted after the 2014 – 2016 Ebola outbreak where the majority of R&D investments were in preclinical research in research institutions in Europe and USA¹⁹; however, context specific research is vital. The launching of the WHO access to COVID-19 tools (ACT) initiative is intended to enhance equitable and fair access to research discoveries to promote global recovery from COVID-19 moving forward²¹.

Seven months into this pandemic, these trends of a slow research funding response may be early indicators of the limited uptake of the GPMB recommendations for pandemic preparedness and the lack of full operationalisation of many post-Ebola initiatives, many of which had still not reached their financial targets prior to this pandemic¹.

Funding for COVID-19 research priorities

All projects with sufficient information for classification mapped to WHO research priorities and this signifies the alignment of researchers and funders to these priorities. There is a global lack in research projects focused on 'Ethics considerations for research' since this broad priority, as framed in the WHO Roadmap, outlines actions to be taken by the WHO itself including the crafting of guidance protocols for ethical research

Figure 4. Research projects classified under 'Existing WHO priorities requiring greater research emphasis'.

practice during the pandemic. No preclinical research projects were identified in Africa, supporting the earlier discussion concerning lack of research capacity with few clinical trials (mainly funded by EDCTP).

Further gaps in research funding for 'epidemiological studies' and 'social sciences in the outbreak response' were identified through this analysis. One project under 'epidemiological studies' clearly fell outside the WHO sub priorities and the new research priorities for Africa and less-resourced countries. This interesting project's primary focus is devising innovative surveillance tools for COVID-19 mortalities in resource-limited contexts. There is a potential gap in research funding for projects to determine the role of children in COVID-19 transmission in Africa. Children, particularly those without co-morbidities, experience milder and often asymptomatic infections and their

exact role in disease transmission remains unclear^{22,23}. Over 85% of children born with sickle cell disease are in Africa and the high prevalence of malnutrition, HIV and tuberculosis may further worsen the prognosis of paediatric COVID-19 infections^{24,25}. Further, it is challenging to distinguish some of the symptoms of COVID-19 from endemic infections such as malaria and other febrile illnesses. This challenge is likely to exacerbate under-testing of children in these settings and potentially worsen the spread of COVID-19.

Important gaps were identified for 'social sciences in the outbreak response' in funding for health systems research, research into effective modes for community engagement, communication of uncertainties related to COVID-19 in pregnancy and international cooperation. Given the massive shortages of health care personnel and limited health infrastructure in many

Figure 5. Research projects classified under the new Research priorities of Less-resourced Countries.

African countries, health systems research during the pandemic is a crucial field of research. There have already been incidents of striking health workers in protest of insufficient personal protective equipment and support from country health ministries^{26–28}.

Effective communication has been a major challenge in relaying information on COVID-19, as our knowledge base continues to expand. This challenge is particularly magnified when communication of risks of mother-to-child transmission, impacts of COVID-19 on pregnancy and severity of neonatal infections, where there remain many unknowns, is considered^{29,30}. The unproven risks of COVID-19 transmission in breastmilk have

to be well communicated. Breastfeeding is a well-established practice which prevents malnutrition and infectious diseases in thousands of children across Africa and the current WHO guidance favours continued breastfeeding of children with COVID-19 positive mothers as the benefits far outweigh the risks^{31,32}. However, miscommunication could have negative implications for child health and survival and thus, priority should be given to research for determining the optimal approaches to engage families and communities to prevent undesirable child health outcomes.

The relevance of community engagement in Africa cannot be overemphasised as it is pivotal for understanding of and

adherence to public health interventions to control COVID-19. Likewise fostering international cooperation and investigating modes of facilitating cooperation among various actors through transdisciplinary science and data sharing is crucial for control of this pandemic since “No one is safe until everyone is safe”³³.

In general, few projects mapped specifically to the additional research priorities of relevance to Africa and less-resourced countries. This finding is likely due to the overall limited research activity captured in Africa. The dominant projects identified concerned understanding COVID-19 in populations that are particularly vulnerable to adverse outcomes such as refugees and migrants, minority groups, persons with HIV and tuberculosis. Some projects fell under crosscutting uses of technology in the pandemic response and building capacity for viral genotyping. These may represent research funding gaps. However, considering only a few research projects are being conducted or funded in Africa, a more comprehensive assessment can be made once more funding calls are announced. The AAS funding call, Global Effort on COVID-19 (GECO) health research and similar funding calls, which specifically focus on low- and middle-income countries (LMICs), will be important to consider³⁴.

As several R&D candidates advance to large trials in diverse populations, inadequate research capacity can delay initiation of vital research and in the long run hinder the global research response. Laboratory capacity is particularly indispensable for the monitoring of trends in infection and determining recovery rates. It plays a key role in surveillance and clinical management, which were also identified for capacity strengthening in this study. One concern is that capacity strengthening activities highlighted in this analysis may turn out to be short-lived due to their rapid mobilisation in response to the pandemic. Effective research capacity strengthening involves sustained deliberate actions geared at various aspects of the research process and at various levels of coordination at global, regional and national levels. These processes will enable countries with the greatest need to fairly and openly compete for research without compromising on quality³⁵. Moving forward, cooperation among research funders, enhanced mobilisation of domestic funding for capacity strengthening and periodic evaluations to guide future investments, as highlighted by the ESSENCE group of funders, are key steps for building sustained research capacity in Africa³⁶.

Limitations

This analysis was based on the earlier baseline LSR of funded COVID-19 projects initiated by the COVID CIRCLE and is similarly limited by variable completeness of data provided for classification of research projects and data on funding amounts invested in research funding. The Tracker also does not present a complete picture of repurposed research grants for COVID-19, as these details have not yet been provided by funders or are yet to be identified. There are pending funding calls related to Africa which could alter the findings of this analysis and thus this analysis can be viewed as a baseline assessment of research funding in Africa for which follow up

analyses can be done to observe trends. Comparisons made to past Ebola outbreaks are made cautiously with full cognisance of the fact that this is an ongoing pandemic likely to evolve whereas findings from past outbreaks have been gleaned from retrospective review in the recovery phase.

Conclusions

Seven months into this pandemic, this review of funded research projects in Africa has demonstrated limited funding investments by both local funders and governments, and the traditional donors and funders from previous outbreaks in Africa. The notable example here is the United States-based NIH which was a dominant donor in the Ebola outbreak of 2014 – 2016. Significant gaps in funded projects were identified in researching the role of children in COVID-19 transmission, communication of uncertainties related to antenatal and peripartum COVID-19 infections, research for feasible modes of community engagement and international cooperation and health systems research in Africa.

Few research projects mapped to the research priorities of importance to African researchers and the priorities of less-resources countries and, though this could indicate a potential gap in research funding, a more accurate assessment can be made once further funding calls for research in Africa are announced. These will be incorporated in future iterations of the Tracker LSR.

Poor research capacity and inadequate preparedness for this pandemic were demonstrated by the finding that many research projects included a capacity strengthening component. This finding may be an early indicator of limited uptake of recommendations by the GPMB report published in 2019.

Data availability

Underlying data

Harvard Dataverse: Replication Data for Baseline results of a living systematic review for COVID-19 funded research projects. <https://doi.org/10.7910/DVN/FBWNTC>³⁷.

This project contains the following underlying data:

- 20200715 Underlying Data Norton *et al.* August 2020.xlsx (Spreadsheet of funded COVID-19 research projects)

Data are available under the terms of the [Creative Commons Zero “No rights reserved” data waiver](#) (CC0 1.0 Public domain dedication).

Acknowledgements

We are grateful to all the funders who have provided data for the Tracker to date. We also thank Nicole Advani, Adrian Bucher, Emma Clegg, Alice Cross, Henrike Grund, Sheila Mburu and Laura Scott from UKCDR and Gail Carson, Morgan Lay and Genevieve Boily-Larouche from GloPID-R for their support in the development of and coding on the Tracker.

References

- Ravi SJ, Snyder MR, Rivers C: **Review of international efforts to strengthen the global outbreak response system since the 2014-16 West Africa Ebola Epidemic.** *Health Policy Plan.* 2019; **34**(1): 47–54.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- The World Bank: **World Bank Launches First-Ever Pandemic Bonds to Support \$500 Million Pandemic Emergency Financing Facility.** Webpage. 2017 [cited 2020 May 31].
[Reference Source](#)
- World Health Organization: **A research and development Blueprint for action to prevent epidemics - Plan Of Action May 2016.** 2016; 44.
[Reference Source](#)
- Talisuna A, Yahaya AA, Rajatonirina SC, *et al.*: **Joint external evaluation of the International Health Regulation (2005) capacities: Current status and lessons learnt in the WHO African region.** *BMJ Glob Health.* 2019 [cited 2020 Aug 19]; **4**(6): e001312.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- World Bank: **Pandemic Preparedness Financing Pandemic Preparedness Financing STATUS UPDATE.** 2019.
[Reference Source](#)
- World Bank Group for the Global Preparedness Monitoring Board. *Pandemic preparedness financing.* 2019; **7**(7): 136.
- WHO Coronavirus Disease (COVID-19) Dashboard WHO Coronavirus Disease (COVID-19) Dashboard. Who. 2020 [cited 2020 Aug 19].
[Reference Source](#)
- Rubino F, Amiel SA, Zimmet P, *et al.*: **New-Onset Diabetes in Covid-19.** *N Engl J Med.* Massachusetts Medical Society; 2020 [cited 2020 Sep 28]; **383**(8): 789–91.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Paterson RW, Brown RL, Benjamin L, *et al.*: **The emerging spectrum of COVID-19 neurology: clinical, radiological and laboratory findings.** *Brain.* 2020; **143**(10): 3104–3120.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Puntmann VO, Carerj ML, Wieters I, *et al.*: **Outcomes of Cardiovascular Magnetic Resonance Imaging in Patients Recently Recovered from Coronavirus Disease 2019 (COVID-19).** *JAMA Cardiol.* 2020 [cited 2020 Sep 28]; **5**(11): 1265–1273.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Davies MA: **HIV and risk of COVID-19 death: a population cohort study from the Western Cape Province, South Africa.** *medRxiv.* 2020 [cited 2020 Aug 19]; 2020.07.02.20145185.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- World Health Organisation: **A Coordinated Global Research Roadmap: 2019 Novel Coronavirus.** 2020.
[Reference Source](#)
- African Academy of Sciences: **Research and Development goals for COVID-19 in Africa The African Academy of Sciences Priority Setting Exercise.**
[Reference Source](#)
- Norton A, Gozalo AD, de Colombi NF, *et al.*: **The remaining unknowns: a mixed methods study of the current and global health research priorities for COVID-19.** *BMJ Glob Health.* 2020 [cited 2020 Aug 18]; **5**(7): e003306.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Norton A, Mphahlele J, Yazdanpanah Y, *et al.*: **Strengthening the global effort on COVID-19 research.** *Lancet.* 2020; **396**(10248): 375.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- UKCDR & GloPID-R: **COVID-19 Research Project Tracker.** 2020 [cited 2020 Jul 30].
[Reference Source](#)
- Norton A, Bucher A, Antonio E, *et al.*: **Baseline results of a living systematic review for COVID-19 funded research projects [version 1; peer review: 2 approved].** *Wellcome Open Res.* 2020 [cited 2020 Sep 11]; **5**: 209.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- COVID-19 R&D tracker – Policy Cures Research. 2020 [cited 2020 Sep 1].
[Reference Source](#)
- Fitchett JR, Lichtman A, Soyode DT, *et al.*: **Ebola research funding: A systematic analysis, 1997-2015.** *J Glob Health.* 2016 [cited 2020 Jul 19]; **6**(2): 020703.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- NIH establishes Centers for Research in Emerging Infectious Diseases National Institutes of Health (NIH). 2020 [cited 2020 Sep 1].
[Reference Source](#)
- World Health Organization (WHO): **ACCESS TO COVID-19 TOOLS (ACT) ACCELERATOR COMMITMENT and CALL TO ACTION Our Vision and Mission.** World Health Organization. 2020; 2020.
- Götzinger F, Santiago-García B, Noguera-Julian A, *et al.*: **COVID-19 in children and adolescents in Europe: a multinational, multicentre cohort study.** *Lancet Child Adolesc Heal.* 2020 [cited 2020 Jul 21]; **4**(9): 653–661.
[Publisher Full Text](#)
- Ecdc: **COVID-19 and schools transmission.** 2020.
- Grosse SD, Odame I, Attrash HK, *et al.*: **Sickle cell disease in Africa: A neglected cause of early childhood mortality.** *Am J Prev Med.* Elsevier Inc. 2011; **41**(6): S398–405.
[Publisher Full Text](#)
- UNICEF: **Children, HIV and AIDS Global and regional snapshots.** 2019 [cited 2020 Aug 23].
[Reference Source](#)
- The World staff: **Zimbabwe health care workers strike over vital equipment.** 2020 [cited 2020 Aug 28].
[Reference Source](#)
- Reuters: **Dozens of Kenyan doctors strike over lack of PPE, delayed pay.** 2020 [cited 2020 Aug 28].
[Reference Source](#)
- Reuters: **Nigerian doctors strike for better benefits during coronavirus crisis - Reuters.** 2020 [cited 2020 Aug 28].
[Reference Source](#)
- Vivanti AJ, Vauloup-Fellous C, Prevot S, *et al.*: **Transplacental transmission of SARS-CoV-2 infection.** *Nat Commun.* 2020 [cited 2020 Jul 23]; **11**(1): 3572.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Karimi-Zarchi M, Neamatzadeh H, Dastgheib SA, *et al.*: **Vertical Transmission of Coronavirus Disease 19 (COVID-19) from Infected Pregnant Mothers to Neonates: A Review.** *Fetal Pediatr Pathol.* Taylor and Francis Ltd. 2020 [cited 2020 Jul 23]; **39**(3): 246–50.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- World Health Organization (WHO): **Global Breastfeeding Scorecard, 2017 Tracking Progress for Breastfeeding Policies and Programmes.** 2017.
[Reference Source](#)
- WHO Scientific Brief: **Breastfeeding and COVID-19.** 2020 [cited 2020 Jul 21].
[Reference Source](#)
- Ghebreyesus TA: **Opening remarks at the media briefing on COVID-19.** World Health Organization. 2020 [cited 2020 Aug 23].
[Reference Source](#)
- Global Effort on COVID-19 (GECO) Health Research - Call Specification. [cited 2020 Jul 23].
[Reference Source](#)
- Maher D, Aseffa A, Kay S, *et al.*: **External funding to strengthen capacity for research in low-income and middle-income countries: exigence, excellence and equity.** *BMJ Glob Heal.* 2020 [cited 2020 Sep 30]; **5**(3): e002212.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Kilmarx PH, Maitin T, Adam T, *et al.*: **A Mechanism for Reviewing Investments in Health Research Capacity Strengthening in Low- and Middle-Income Countries.** *Ann Glob Heal.* 2020 [cited 2020 Sep 30]; **86**(1): 92.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
- Norton A, Bucher A, Antonio E, *et al.*: **Replication Data for Baseline results of a living systematic review for COVID-19 funded research projects.** Harvard Dataverse. V1. 2020.
<http://www.doi.org/10.7910/DVN/FBWNCT>

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 09 April 2021

<https://doi.org/10.21956/aasopenres.14267.r28392>

© 2021 Kay S. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Simon Kay

International Operations and Partnerships, Wellcome Trust, London, UK

This article provides a narrative summary and description of the state of play of the funding for COVID-19 research across the African continent. It describes a living systemic review (LSR) of the research in play at the time of analysis, according to the UKCDR/GloPID-R tracker as at 15th July 2020. The analysis revealed limited COVID-19 research across Africa, with the majority of funding from Europe, surprisingly little from the US and none (as revealed by the tracker) from African sources. Whilst many projects mapped to the WHO research priorities, five gaps in research funding were identified.

Avoiding repeating good points made by other reviewers, for this reviewer the questions prompted by this paper are:

- Does the absence of African funding of COVID-19 research mitigate against funding of priorities relevant and important for African populations?
- I am not sure if the paper really gets at why the research needs of Africa are not being met. Is it because of quantity of funds, how funding decisions are made; or simply because it was the early days of the pandemic with external funders focused on their own needs and populations?
- Does the absence of African funding undermine African ownership of how research funding is targeted and in particular if research is conducted in very low resource settings?
- Could a future study look at how existing capacity and existing networks have been repurposed to focus on COVID-19, just strengthening the arguments for building capacity?

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

I cannot comment. A qualified statistician is required.

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: My expertise is in funding health sciences research and building health research capacity. I hold a PhD in Immunology.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 02 March 2021

<https://doi.org/10.21956/aasopenres.14267.r28394>

© 2021 Habarugira J. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Jean Marie Vianney Habarugira

¹ European and Developing Countries Clinical Trials Partnership (EDCTP), The Hague, The Netherlands

² Universitat Autònoma de Barcelona (UAB), Barcelona, Spain

This paper describes the COVID-19 research funding landscape in Africa as of 15 July 2020. As a baseline analysis, this is a very important reference for all stakeholders engaged in research response across Africa. By measuring investments against the research priorities outlined in the WHO Global Roadmap, the authors have opened an urgent and necessary discussion: the research needs specific to Africa, now and in the years to come.

This baseline analysis should have an update or follow up publications to capture the very fast-growing mountain of COVID-19 research data. Recommendations to the authors and all those carrying out similar analysis, include (but are not limited to) the following:

- Efforts should be made to map the size and type of investments made by Governments to ensure a certain level of health system's readiness to absorb research activities during an

outbreak; many governments in Africa have provided cash or in-kind contributions to their outbreak response teams, and the same teams are directly or indirectly involved in research projects. This may be hard to quantify but should be captured in further analysis, where possible.

- An important role has been and is being played by various networks and consortia that started conducting epidemic preparedness research activities long before COVID-19. Consortia such as ALERRT and PANDORA-ID-NET with a strong presence in Africa, went into research response mode in the very early days of the pandemic. It would be good to measure the efficiency of these pre-COVID initiatives, how their quick research response aligned with the recommendations from the WHO Roadmap which informed further researcher strategies.
- As the vaccine roll out unveils again the inexcusable inequity across the globe, follow up analysis should provide insights into vaccine-related knowledge gaps in the African context. AAS, Africa CDC, WHO Afro and others are certainly taking quick steps in generating and disseminating information on data to be collected following introduction of vaccines, but the larger community of funders and researchers must accompany these efforts with a continued and solid funding base targeting research priorities specific to Africa.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Not applicable

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: I am employed by EDCTP and have noted that the analysis in this article includes research projects supported by EDCTP. I represent EDCTP within GloPID-R and have professionally interacted with some of the listed co-authors through various GloPID-R Working Groups. I confirm that this has not affected my ability to write an objective and unbiased review of the article.

Reviewer Expertise: Clinical Research capacity (focus on Africa), Epidemics Preparedness, Infectious diseases, research funding strategies for LMICs

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 13 January 2021

<https://doi.org/10.21956/aasopenres.14267.r28227>

© 2021 Sewankambo N. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Nelson K. Sewankambo

Lown Scholars Program, Harvard T.H. Chan School of Public Health, Boston, MA, USA

Using Microsoft Excel 2019, the authors carried out a comprehensive, descriptive and thematic analysis of the COVID-19 funded research projects in Africa initiated by COVID CIRCLE and listed in the UKCDR/GloPID-R Tracker from the start of the pandemic to 15th July 2020. The analysis revealed significantly lower funding investments in COVID-19 research in Africa compared to high-income countries, seven months into the pandemic. This finding suggested a paucity of research targeting the research priorities of relevance to Africa.

Is the work clearly and accurately presented and does it cite the current literature?

Yes

Is the study design appropriate and is the work technically sound?

Yes

Are sufficient details of methods and analysis provided to allow replication by others?

Yes

If applicable, is the statistical analysis and its interpretation appropriate?

Not applicable

Are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions drawn adequately supported by the results?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Building research capacity, Infectious Diseases, non communicable diseases, and ethics

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.